Dell UltraSharp™ U2211H 21.5″W Monitor





Why Dell UltraSharp™ Monitors?

They don't come any more complete than this.

- Brilliant front of screen performance with In-plane switching technology and full HD
- Designed for maximum viewing comfort
- Excellent connectivity
- Remote monitoring and control
- Quality & Reliability
- Warranty coverage

Whether you need it for everyday personal use or for large organization deployment, the Dell UltraSharp™ U2211H 21.5″W Monitor brings your visuals to life in stunning widescreen clarity, while delivering energy-smart performance. Enjoy amazing clarity and great color consistency from virtually any viewing angle with the Dell UltraSharp™ U2211H 21.5″W Monitor with IPS technology.

Designed For Comfort, Convenience And Ease-Of-Use





Pivot

Dell recommends that customers dispose of their used computer hardware, including monitors, in an environmentally sound manner. Potential methods include reuse of parts or whole products and recycling of product, components and/or materials. For more information, please visit http://dell.com/recycling_programs and www.dell.com/environment

Dell UltraSharp™ U2211H 21.5″W Monitor

Display	
Screen dimensions	54.61cm (21.5 inches)
Preset display area	127,021 sq-mm (196.4 sq-inches)
Horizontal Vertical	475.2mm (18.7 inches) 267.3mm (10.5 inches)
Maximum preset resolution	1920 x 1080 at 60 Hz
Pixel pitch	0.2475mm
Brightness	250 cd/m²(typical)
Color gamut	82%1
Color depth	16.7 million colors
Contrast ratio (typical) Dynamic contrast ratio (typical)	1,000: 1 10,000:1
Viewing angle (vertical/horizontal)	178°/ 178°
Response Time (typical)	8 ms gray-to-gray
Panel type	IPS (In-plane switching)
Connectivity	
Other Connectors / Features	DVI-D (HDCP), DisplayPort, VGA, 4 x USB 2.0 ports Slots for security cable lock and anti-theft stand lock (security cables and locks not included)
Design Features	
	1 For the second sec
Stand	Height adjustable stand with tilt, swivel and pivot features
Stand Power	
Power AC input	tilt, swivel and pivot features
Power AC input voltage/frequency/current	tilt, swivel and pivot features 100 to 240 VAC / 50 or 60 Hz ± 3 Hz/1.5 A (typical) 22W (without audio and USB
Power AC input voltage/frequency/current Power consumption (typical)	tilt, swivel and pivot features 100 to 240 VAC / 50 or 60 Hz ± 3 Hz/1.5 A (typical) 22W (without audio and USB connections)
Power AC input voltage/frequency/current Power consumption (typical) Power consumption standby/sleep Dimensions (with stand)	tilt, swivel and pivot features 100 to 240 VAC / 50 or 60 Hz ± 3 Hz/1.5 A (typical) 22W (without audio and USB connections) Less than 1W
Power AC input voltage/frequency/current Power consumption (typical) Power consumption standby/sleep Dimensions (with stand) Height (compressed)	tilt, swivel and pivot features 100 to 240 VAC / 50 or 60 Hz ± 3 Hz/1.5 A (typical) 22W (without audio and USB connections) Less than 1W 347.6mm (13.69 inches)
Power AC input voltage/frequency/current Power consumption (typical) Power consumption standby/sleep Dimensions (with stand) Height (compressed) Width	tilt, swivel and pivot features 100 to 240 VAC / 50 or 60 Hz ± 3 Hz/1.5 A (typical) 22W (without audio and USB connections) Less than 1W 347.6mm (13.69 inches) 514.4mm (20.25 inches)
Power AC input voltage/frequency/current Power consumption (typical) Power consumption standby/sleep Dimensions (with stand) Height (compressed) Width Depth	tilt, swivel and pivot features 100 to 240 VAC / 50 or 60 Hz ± 3 Hz/1.5 A (typical) 22W (without audio and USB connections) Less than 1W 347.6mm (13.69 inches)
Power AC input voltage/frequency/current Power consumption (typical) Power consumption standby/sleep Dimensions (with stand) Height (compressed) Width	tilt, swivel and pivot features 100 to 240 VAC / 50 or 60 Hz ± 3 Hz/1.5 A (typical) 22W (without audio and USB connections) Less than 1W 347.6mm (13.69 inches) 514.4mm (20.25 inches)
Power AC input voltage/frequency/current Power consumption (typical) Power consumption standby/sleep Dimensions (with stand) Height (compressed) Width Depth	tilt, swivel and pivot features 100 to 240 VAC / 50 or 60 Hz ± 3 Hz/1.5 A (typical) 22W (without audio and USB connections) Less than 1W 347.6mm (13.69 inches) 514.4mm (20.25 inches)
PowerAC input voltage/frequency/currentPower consumption (typical)Power consumption standby/sleepDimensions (with stand)Height (compressed)WidthDepthWeightWeight without stand assembly (For wall mount or VESA mount	tilt, swivel and pivot features 100 to 240 VAC / 50 or 60 Hz ± 3 Hz/1.5 A (typical) 22W (without audio and USB connections) Less than 1W 347.6mm (13.69 inches) 514.4mm (20.25 inches) 184.1mm (7.25 inches)
Power AC input voltage/frequency/current Power consumption (typical) Power consumption standby/sleep Dimensions (with stand) Height (compressed) Width Depth Weight without stand assembly (For wall mount or VESA mount considerations - no cables) Weight with stand assembly	tilt, swivel and pivot features 100 to 240 VAC / 50 or 60 Hz ± 3 Hz/1.5 A (typical) 22W (without audio and USB connections) Less than 1W 347.6mm (13.69 inches) 514.4mm (20.25 inches) 184.1mm (7.25 inches) 9.97 lbs (4.52 kg)
Power AC input voltage/frequency/current Power consumption (typical) Power consumption standby/sleep Dimensions (with stand) Height (compressed) Width Depth Weight without stand assembly (For wall mount or VESA mount considerations - no cables) Weight with stand assembly and cables	tilt, swivel and pivot features 100 to 240 VAC / 50 or 60 Hz ± 3 Hz/1.5 A (typical) 22W (without audio and USB connections) Less than 1W 347.6mm (13.69 inches) 514.4mm (20.25 inches) 184.1mm (7.25 inches) 184.1mm (7.25 inches) 184.1mm (7.25 inches) 184.1mm (7.25 inches) 184.1mm (7.25 inches)

- ² Advanced Exchange Service: Replacement part/unit dispatched, if needed, following completion of phone/online diagnosis. Fee charged for failure to return defective unit. Availability varies. Other conditions apply.
- ³ For copy of Limited Hardware Warranty, write to Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty for details.

